

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 March 2008

(For the Period 15 February 2008 to 29 February 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	QPL-5508-17 NOT 1	Fuses, Aircraft Automatic Quantity-Measuring, Hydraulic (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1650		GS1	19-FEB-2008
M	QPL-6645-27(1) NOT 1	Parachutes, Personnel, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1670		11	28-FEB-2008
M	QPL-25161-20 NOT 1	Nozzle, Aerial Refueling, Type MA-2 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1680		11	27-FEB-2008
M	QPL-6193-12 NOT 1	Joints: Universal, Plain, Light and Heavy Duty (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	3010		CC	26-FEB-2008
M	MIL-PRF-26626F	Hose Assembly, Reinforced, Cryogenic, Oxygen [CUST: AV AS 71 CC] [REVIEW: 99]	A	4720		71	05-FEB-2008
M	QPL-24517-8 NOT 1	Valve, Steam Pressure Reducing, Quiet Design (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4820		SH	22-FEB-2008
M	QPL-87893-1 NOT 1	Workstation Electrostatic Discharge (ESD) Control (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4940		11	27-FEB-2008
N	MIL-DTL-32286	Material, Ball Valve Seat Seal and Thrust Washer [CUST: MI SH 99] [REVIEW: 03 11 71 AS MR NP]	A	5330		SH	28-FEB-2008
M	QPL-914-6 NOT 1	Resistor Networks, Fixed, Film, Surface Mount, Nonestablished Reliability, and Established Reliability, General Specifaicion for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CR	26-FEB-2008
M	QPL-10509-159 NOT 1	Resistors, Fixed, Film (High Stability), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	27-FEB-2008
M	MIL-PRF-55365G(1)	Capacitor, Fixed, Electrolytic (Tantalum), Chip, Established Reliability, Nonestablished Reliability, and High Reliability, Generation Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910		CR	26-FEB-2008
M	MIL-PRF-55365/8G	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability and High Reliability, Style CWR11 (Metric) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910		CR	22-FEB-2008
M	QPL-11015-121 NOT 1	Capacitors, Fixed, Ceramic Dielectric (General Purpose) General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CC	27-FEB-2008
M	MIL-PRF-39019E SUP 1	Circuit Breakers, Magnetic, Low Power, Sealed, Trip-Free General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI NA]	A	5925		CR	08-FEB-2008
M	MIL-PRF-55629D SUP 1	Circuit Breakers, Magnetic, Unsealed or Panel Seal, Trip-Free, General Specification for [CUST: CR EC 11 CC] [REVIEW: EA]	A	5925		CR	08-FEB-2008
M	QPL-8834-20 NOT 1	Switches, Toggle, Positive Break, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	26-FEB-2008
M	QPL-642-52 NOT 1	Plugs, Telephone, and Accessory Screws, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	26-FEB-2008
M	QPL-12883-38 NOT 1	Sockets and Accessories for Plug-In Electronic Components General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	27-FEB-2008
M	QPL-W-C-596-58 NOT 1	Connector, Electrical, Power, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935	/	CC	26-FEB-2008
M	MIL-DTL-24251E SUP 1	Shields, Retainers (Bases), and Adapters, Electron Tube, Heat Dissipating [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC]	A	5960		CC	15-FEB-2008
M	MIL-DTL-24251/3C	Shield, Electron Tube, Heat Dissipating 7 and 9 Pin, Miniature (Split Shell) [CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI]	A	5960		CC	15-FEB-2008
M	MIL-DTL-24251/4C	Retainer (Base), and Adapter, Electron Tube, Heat Dissipating, 7 and 9 Pin, Miniature [CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI]	A	5960		CC	15-FEB-2008
M	MIL-DTL-24251/5C	Shield, Electron Tube, Heat Dissipating, 7 and 9 Pin, Miniature (Open Sides) [CUST: CR EC 11 CC] [REVIEW: 19 CG MC MI]	A	5960		CC	15-FEB-2008
M	MIL-DTL-24251/6D	Shield, Electron Tube, Heat Dissipating, 7 and 9 Pin, Miniature (Retrofit Type Only) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH]	A	5960		CC	15-FEB-2008
M	MIL-PRF-19500/144N	Semiconductor Device, Diode, Silicon, Switching, Types 1N4454-1, 1N4454UR-1, 1N4454UB, 1N4454UBCA, 1N4454UBCC, 1N4454UBD, 1N3064, 1N4532, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	22-FEB-2008
M	MIL-PRF-19500/552E	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor, Types 1N6469 through 1N6476, 1N6469US through 1N6476US, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 99]	A	5961		CC	21-FEB-2008
M	QPL-28861-41 NOT 1	Filters and Capacitors, Radio Frequency/Electromagnetic Interference Suppression, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	59GP		CC	21-FEB-2008
M	QPL-13486-30 NOT 1	Cables, Special Purpose, Electrical: Low-Tension, Heavy-Duty, Single Conductor and Multiple Conductor, Shielded and Unshielded, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6145		CC	27-FEB-2008
M	QPL-6839-28 NOT 1	Indicator, Position, Landing Gear (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6610		GS1	19-FEB-2008
N	A-A-59806	Liquid Level Switch, Side Mounted, Float Arm Magnet-Actuated Type, Shipboard Sewage and Graywater Systems [CUST: SH 99] [REVIEW: 03 11 33 71 AS GS GS1 NIH]	A	6680	/	SH	28-FEB-2008
M	QPL-7077-14 NOT 1	Indicator, Temperature, Electrical Resistance, Multifunction, -70 Degrees C to +150 Degrees C, 2 Inch Size (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6685		GS1	19-FEB-2008
M	QPL-8188-19 NOT 1	Corrosion-Preventive Oil, Gas Turbine Engine Aircraft Synthetic Base (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850		11	27-FEB-2008
M	A-A-52206C	Openers, Can, Hand and Mounted [CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1 SS]	A	7330	/	GL4	22-FEB-2008
M	MIL-DTL-11589/11G	Ribbon, Antarctica Service Medal [CUST: IH NU 11] [REVIEW: 99 CG CT MC]	A	8455		IH	15-FEB-2008
M	MIL-STD-3006B NOT 1	Sanitation Requirements for Food Establishments [CUST: MD2 SA 03] [REVIEW: MC MS SS]	A	89GP		MD2	22-FEB-2008
M	MIL-HDBK-3006B NOT 1	Guidelines for Auditing Food Establishments [CUST: MD2 SA 03] [REVIEW: MC MS SS]	A	89GP		MD2	22-FEB-2008
M	VV-D-1078B NOT 3	Damping Fluid, Silicone Base (Dimethyl Polysiloxane) [CUST: CR4 AS 11] [REVIEW: 68 AR EA MC MI OS SH]	A	9150	/	AS	20-FEB-2008
M	QPL-6081-30 NOT 1	Lubricating Oil, Jet Engine (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		11	27-FEB-2008
M	QPL-7808-38 NOT 1	Lubricating Oil, Aircraft Turbine Engine, Synthetic Base (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		11	27-FEB-2008
M	QPL-87100-4 NOT 1	Lubricating Oil, Aircraft Turbine Engine, Polyphenyl Ether Base (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		11	27-FEB-2008

ASSIST UPDATE

01-MAR-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-64002B	Delay Detonator for Projectile, 155MM, Smoke: M825A1 [CUST: EA]	D	1320	EA		27-FEB-2008
M	MIL-DTL-14951B	Delay Element, M53 Loading, Assembling and Packing [CUST: AR]	D	1390	AR		31-DEC-2007
M	MIL-D-5813B NOT 2	Dome, Navigator S Observing, Non-Pressurized Aircraft, Type A-3A [CUST: 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MIL-P-6525C NOT 2	Pump, Fuel Transfer, Aerial Refueling, General Specification for [CUST: AV AS 99] [REVIEW: 11 GS]	A	1680	71		29-FEB-2008
M	MIL-S-7470A NOT 3	Shaft, Power Transmission, Aircraft Accessory, General Specification For [CUST: 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MIL-R-9126A NOT 3	Reel, Fueling Hose, Aerial, Refueling, General Specification for [CUST: 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MIL-R-27521A(1) NOT 3	Receptacle, Flying Boom, Aerial Refueling General Specification For [CUST: 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24354A NOT 2	Drogue Cone, Nozzle and Reception Coupling - Type MA-2 Flight-Pressure-Refueling System, Assembly of [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24355B NOT 2	Coupling, Reception - Type MA-2, Flight-Pressure-Refueling, Assembly of (ASG) [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24356D NOT 2	Nozzle - Type MA-2, Flight Pressure Refueling (ASG) [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24357A NOT 3	Flange, Drogue Cone - Type MA-2 Reception Coupling, Flight Pressure Refueling, Outline Dimensions for [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24358A NOT 3	Fitting, Hose End - Type MA-2, Flight Pressure Refueling, Reception Coupling, Outline Dimensions for [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24359A NOT 2	Nose, Probe Mast - Type MA-2, Flight Pressure Refueling Nozzle, Outline Dimensions for (ASG) [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24361B NOT 3	Ring, Split - Type MA-2, Flight Pressure Refueling, Reception Coupling [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS24362A NOT 3	Sleeve - Type MA-2, Flight Pressure Refueling, Reception Coupling [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS27604 NOT 3	Nozzle - Universal Aerial Refueling Tanker Boom [CUST: 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MS33669B NOT 3	Coupling, Replenishment, 1-1/2 Inch, for Methanol-Water, (Details of Servicing Nozzle) [CUST: AS 99] [REVIEW: GS]	A	1680	71		29-FEB-2008
M	MIL-PRF-1/263G	Electron Tube, Receiving Type 6X4WA [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS]	A	5960	CC		22-FEB-2008
M	MIL-PRF-1/290E	Electron Tube, Receiving Type OA2WA [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI]	A	5960	CC		22-FEB-2008
M	MIL-DTL-87104B	Coaxial Assemblies, General Specification for [CUST: 11 CC]	A	5985	CC		20-FEB-2008
M	MIL-DTL-49285A	Cables, Special Purpose, Electrical, Aluminum Foil Shielded Pairs, Triplets, or Quads General Specification for [CUST: CR SH 11 CC] [REVIEW: MI]	A	6145	CC		12-FEB-2008
M	MIL-DTL-27189E	Indicator, Pressure, Oil [CUST: 71] [REVIEW: 99 GS]	A	6620	71		19-FEB-2008
M	QPL-6529-24 NOT 2	Corrosion-Preventative, Aircraft Engine (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850	11		27-FEB-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-25561B NOT 2	Grip Assembly, Controller, Aircraft Type MC-2 (See Notice 2 for Replacement Information) [CUST: 99 GS1] [REVIEW: 71]	A	1680		GS1	19-FEB-2008
M	MIL-DTL-29229B NOT 2	Switches and Frogs, Track, Fabricated, for Portal Cranes (No S/S Document) [CUST: YD]	A	2250		IS	11-FEB-2008
M	MIL-S-24771 NOT 1	Sensor, Level, Float Type, Shipboard Sewage Systems (S/S by A-A-59806) [CUST: SH]	A	5930		SH	28-FEB-2008
M	A-A-51266 NOT 1	Impression Material, Dental (Cartridge Form, Hydrocolloid, Agar Type) (No S/S Document) [CUST: MD MS 03]	A	6520	/	MB	19-FEB-2008
M	A-A-54968 NOT 1	Impression Material, Dental, (Tissue Conditioner Type) (No S/S Document) [CUST: MD MS 03]	A	6520	/	MB	20-FEB-2008
M	A-A-53987 NOT 1	Pipet, Blood Chemistry (Micro-Folin) (No S/S Document) [CUST: MD MS 03]	A	6640	/	MB	07-FEB-2008
M	MIL-S-24340A NOT 1	Sealing Compound, Deck, Polyurethane (Polyether Base) (No S/S Document) [CUST: SH]	A	8030		SH	05-FEB-2008
M	QPL-24340-13 NOT 2	Sealing Compound, Deck, Polyurethane (Polyether Base) (No S/S Document)	A	8030		SH	05-FEB-2008
M	MS33564 NOT 5	Standard Lengths and Widths, Metal Sheets and Strips (No S/S Document) [CUST: AS 11 IS]	A	9515		IS	11-FEB-2008
M	ASTM-A470	Steel Forgings, Carbon and Alloy, Vacuum-Treated, for Turbine Rotors and Shafts (S/S by ASTM-A470/A470M) [CUST: MR SH 11] [REVIEW: 99 IS MC YD]	A	FORG		SH	28-FEB-2008
M	ASTM-A565	Steel Bars, Forgings, and Forging Martensitic Stainless, Stock for High-Temperature Service (S/S by ASTM-A565/A565M) [CUST: MR SH 11] [REVIEW: 99 IS MC]	A	FORG		SH	28-FEB-2008
M	ASTM-A768	Steel Forgings for Turbine Rotors and Shafts, Vacuum-Treated 12 Percent Chromium Alloy (S/S by ASTM-A768/A768M) [CUST: MR SH 11] [REVIEW: 99 AR GS MC YD]	A	FORG		SH	28-FEB-2008
M	MIL-STD-163C(2) NOT 4	Steel Mill Products Preparation for Shipment and Storage (S/S by ASTM-A700) [CUST: CR4 SA 99]	A	PACK		SM	19-FEB-2008
M	MIL-STD-3005 NOT 1	Analog-to-Digital Conversion of Voice by 2,400 Bit/Second Mixed Excitation Linea Prediction (MELP) (See Notice 1 for Replacement Information) [CUST: CR EC 02 NS] [REVIEW: 11 13 19 93 AM DC1 MC NC TD]	A	TCSS		NS	08-FEB-2008